



TYRE SEALANT

APPLICATION CHART

Tyre size		Quantity	Pump strokes
3.00	4	0.25L	1
9x3.5	4	0.25L	1
9.00x3.50	4	0.25L	1
4.00	4	0.25L	1
4.10/3.50	4	0.25L	1
11x4.00	4	0.25L	1
14.50	4.50	0.5L	2
3.50	5	0.25L	1
11x4.00	5	0.25L	1
3.00	6	0.25L	1
3.50	6	0.25L	1
4.10/3.50	6	0.25L	1
8.00	6	0.5L	2
13x5.00	6	0.25L	1
13.00x6.00	6	0.5L	2
13x6.50	6	0.5L	2
14.00x4.00	6	0.5L	2
15x6.00	6	0.5L	2
15x6.50	6	0.75L	3
13	6.5	0.5L	2
3.50	8	0.25L	1
4.00	8	0.25L	1
4.80	8	0.25L	1
5.00	8	0.5L	2
5.70	8	0.5L	2
5.70/5.00	8	0.5L	2
8.00	8	0.5L	2
15x6.50	8	0.5L	2
16x6.50	8	0.5L	2
16.5x6.50	8	0.5L	2
16x7.50	8	0.5L	2
17x8.00	8	0.75L	3
18x6.50	8	0.5L	2
18x7	8	0.75L	3
18x7.50	8	0.75L	3
18x8.00	8	0.75L	3
18x8.50	8	0.75L	3
18x9	8	1L	4
18x9.50	8	1L	4
18x11	8	1L	4
18.5x8.5	8	1L	4
20x7	8	1L	4
20x8.00	8	1L	4
20x10.00	8	1L	4
21x11.00	8	1L	4
21x12.5	8	1.25L	5
22x11	8	1.25L	5
22x12	8	1.25L	5
22.5x10	8	1.25L	5
5.5/85	9	0.5L	2
6.00	9	0.5L	2
6.90/6.00	9	0.75L	3
6.90	9	0.75L	3
18.0x7.00	9	0.75L	3
21x8	9	1L	4
20x11	9	1L	4
21x12.5	9	1.25L	5
25.00x12.00	9	1.5L	6
25x13	9	1.5L	6
4.00	10	0.5L	2
31	13.5	2.25L	9
5.00	14	0.75L	3
7	14	1L	4
8.5	14	1L	4

Tyre size		Quantity	Pump strokes
4.50	10	0.5L	2
6.50	10	1L	4
7.50	10	1L	4
9.00	10	1.25L	5
18x8.00	10	0.75L	3
20x8.00	10	1L	4
18x8.50	10	0.75L	3
20x10.00	10	1L	4
18x10.50	10	1L	4
18x11	10	1L	4
20x11	10	1L	4
20x12	10	1L	4
21x7	10	1L	4
21x12.5	10	1.25L	5
22x8	10	1L	4
22x9.50	10	1.25L	5
22x11	10	1.25L	5
23x7	10	1L	4
23x8	10	1L	4
23x10	10	1.25L	5
24x9.50	10	1.5L	6
24x11	10	1.5L	6
24x12	10	1.5L	6
25x11	10	1.5L	6
23x8	11	1.25L	5
24x8	11	1.25L	5
24x9	11	1.25L	5
24x10	11	1.25L	5
4.00	12	0.5L	2
4.80	12	0.5L	2
5.00	12	0.5L	2
5.30	12	0.5L	2
5.50	12	0.75L	3
5.70	12	0.75L	3
6.00	12	0.75L	3
7.00	12	1L	4
8.50	12	1L	4
10.00	12	1L	4
11.00-65	12	1L	4
12.00	12	1L	4
22x7.50	12	0.75L	3
22x9.50	12	1L	4
23x8	12	1L	4
23x8.50	12	1.25L	5
23x9.50	12	1.25L	5
23x10	12	1.25L	5
23x10.50	12	1.5L	6
23.5x8.50	12	1L	4
24x9	12	1.25L	5
24x9.50	12	1.25L	5
24x12	12	1.5L	6
24x13.00	12	1.5L	6
25x8	12	1.25L	5
25x10	12	1.25L	5
25x11	12	1.5L	6
26x10.50	12	1.75L	7
26x12.00	12	1.75L	7
26.5x14.00	12	2L	8
165/80	13	0.75L	3
185/80	13	1L	4
7.50	16	1.5L	6
8.00	16	1.75L	7
8.25	16	1.75L	7
9.00	16	2L	8

APPLC04_Sealant_Printed in Australia



TYRE SEALANT

APPLICATION CHART

Tyre size		Quantity	Pump strokes
9.5	14	1.25L	5
11	14	1.5L	6
195	14	0.75L	3
24x8.50	14	1.25L	5
25x8.50	14	1.25L	5
4.00	15	0.5L	2
5.00	15	0.75L	3
5.90	15	1L	4
6.50/80	15	1L	4
7.00	15	1.5L	6
7.5L	15	1.5L	6
7.50	15	1.5L	6
8.25	15	1.75L	7
8.5/90	15	1.75L	7
9.00	15	1.75L	7
9.5	15	2L	8
10.00	15	2.25L	9
10.50	15	2.25L	9
11	15	2.25L	9
11.5/80	15	2.25L	9
12.00	15	2.25L	9
12.5	15	2.25L	9
13.50	15	2.5L	10
825	15	1.75L	7
1000	15	2.25L	9
25x7.50	15	1.25L	5
27x8.50	15	1.5L	6
27x9.50	15	1.5L	6
27x10.50	15	1.5L	6
28x9	15	1.5L	6
28x12	15	1.75L	7
29x14	15	2.25L	9
29x8	15	1.25L	5
29x12.50	15	1.75L	7
30x8	15	1.75L	7
31x13.50	15	2.25L	9
31x15.50	15	2.25L	9
32x12	15	2.25L	9
32x15	15	2.5L	10
33x12.50	15	2.5L	10
35x15	15	2.75L	11
36x11	15	2.5L	10
36x13.50	15	2.75L	11
36x14	15	3L	12
10.0/75	15.3	2L	8
10.50/85	15.3	2L	8
12.50x8.00	15.3	2.25L	9
4.50	16	0.75L	3
5.00	16	0.75L	3
5.50	16	0.75L	3
6.00	16	1L	4
6.50	16	1L	4
7	16	1.25L	5
7.20	16	1.25L	5
11.2	20	2.75L	11
1200	20	3.5L	14
12.5	20	3.25L	13
13.00	20	3.75L	15
14.00	20	4L	16
14.5	20	3.75L	15
16.00	20	5L	20
16x70	20	4.25L	17
17.00/80	20	4.25L	17
20.00/70	20	5.75L	23

Tyre size		Quantity	Pump strokes
9.50	16	2L	8
10.00	16	2.25L	9
11L	16	2.75L	11
11.00	16	2.75L	11
11.20	16	2.75L	11
11.50x7.00	16	2.25L	9
14.0/65	16	3L	12
16.00	16	3L	12
13.50	16.1	3.25L	13
14	16.1	3.5L	14
14.5/75	16.1	3.25L	13
16.5L	16.1	4.25L	17
18.4	16.1	5L	20
19	16.1	5.25L	21
21.5	16.1	6.25L	25
35x19.00	16.1	4L	16
41x18	16.1	4.75L	19
10	16.5	2L	8
12	16.5	2.25L	9
15.5x38.5	16.5	3.25L	13
30.5x12.5	16.5	2.25L	9
33x14.5	16.5	3L	12
35x14.5	16.5	2.75L	11
36x12.50	16.5	2.75L	11
10.00	17	2.25L	9
12	17	2.5L	10
15.0/55	17	3.25L	13
19.00/45	17	4L	16
9.50	17.5	2.25L	9
14	17.5	3.25L	13
7.50	18	2L	8
8.00	18	2.25L	9
10.5/80	18	2.25L	9
11.50/70	18	2.5L	10
12.0	18	2.75L	11
12.50	18	3.25L	13
12.50/80	18	2.75L	11
15.0/70	18	3.25L	13
325/70 R	18	2.75L	11
365/70 R	18	3.25L	13
4.00	19	0.75L	3
4.50	19	1L	4
6.00	19	1.25L	5
7.00	19	1.5L	6
15	19.5	3.75L	15
18	19.5	4.75L	19
6.00	20	1.25L	5
6.50	20	1.5L	6
7.50	20	2L	8
8.25	20	2.25L	9
9.00	20	2.25L	9
9.5	20	2.5L	10
10.5	20	2.75L	11
11.00	20	3.5L	14
15.5	25	4.75L	19
16.00	25	5.5L	22
17.5	25	5.5L	22
18.00	25	7L	28
20.5	25	7.25L	29
21.00	25	8.5L	34
23.5	25	9L	36
26.5	25	10.75L	43
29.5	25	13L	52
20.00/65	25	7L	28

APPLC04_Sealant_Printed in Australia



TYRE SEALANT

APPLICATION CHART

Tyre size		Quantity	Pump strokes
38x18.00	20	4L	16
42x25	20	4.75L	19
43x16	20	5L	20
44x18.00	20	5.25L	21
48x25.00	20	6.25L	25
48x31.00	20	7L	28
335/80 R	20	3.5L	14
365/80R	20	4.5L	18
405/70	20	4.75L	19
24	20.5	7.75L	31
14.00	21	4L	16
16.00	21	5L	20
24	21	7.75L	31
27.25	21	9.75L	39
42x21	22	5L	20
16.5/70	22.5	5L	20
400/55	22.5	2.5L	10
445/50	22.5	3.5L	14
455/55	22.5	4L	16
600/50	22.5	5.75L	23
7.50	24	2L	8
8.3	24	2.25L	9
9.00	24	2.5L	10
9.5	24	2.5L	10
11.2	24	3.25L	13
11.25	24	3.5L	14
11.50	24	3.5L	14
12.00	24	3.5L	14
12.4	24	3.5L	14
13.00	24	4.25L	17
13.6	24	4L	16
14.00	24	4.5L	18
14.9	24	4.25L	17
16.00	24	5.75L	23
16.5/85	24	5.75L	23
16.9	24	6L	24
17.5	24	5.25L	21
18.00	24	6.75L	27
18.4	24	6.25L	25
19.5	24	6.25L	25
20	24	7L	28
21	24	6.75L	27
22.00	24	6.75L	27
320/70	24	3.5L	14
360/70	24	4.25L	17
380/70	24	4.75L	19
420/70	24	5.5L	22
455/70	24	5.5L	22
13.00	25	4.25L	17
14.00	25	4.75L	19
650/75R	32	11.75L	47
800/65R	32	13L	52
900/60R	32	15.5L	62
900/65R	32	17.5L	70
18.00	33	7.5L	30
30.00	33	15.5L	62
33.5	33	16.75L	67
35/65	33	16.5L	66
37.5	33	20.75L	83
11.2	34	4L	16
14.00	34	5.75L	23
14.9	34	5L	20
16.9	34	6.5L	26
18.4	34	8.0L	32

Tyre size		Quantity	Pump strokes
22/65	25	9L	36
25/55	25	10.25L	41
30/65	25	11.75L	47
54x31.00	25	8.75L	35
54x37.00	25	10L	40
61x18.00	25	6.75L	27
66x43.00	25	13.75L	55
67x34.00	25	13.5L	54
800/50	25	9L	36
16.9	26	6L	24
18.4	26	6.5L	26
23.1	26	8.75L	35
480/80R	26	7L	28
9.5	28	3L	12
11.2	28	3.25L	13
11.20/78	28	3.25L	13
12.4	28	4L	16
13.6	28	4.5L	18
13.60/78	28	4.5L	18
14.00	28	4.75L	19
14.9	28	5L	20
15.00	28	5.25L	21
16.50/85	28	5.5L	22
16.9	28	5.75L	23
18.4	28	6.5L	26
21L	28	7.5L	30
360/70	28	4.75L	19
420/70	28	5.75L	23
480/70	28	6.5L	26
600/65	28	7.5L	30
26.5	29	11L	44
29.5	29	13.5L	54
30/65	29	13L	52
33.25	29	16L	64
14.9	30	5.25L	21
16.9	30	6.25L	25
18.4	30	7L	28
23.1	30	8.75L	35
420/70	30	6.25L	25
420/90	30	7L	28
480/70	30	6.75L	27
8.3	32	2.75L	11
9.5	32	3.25L	13
12.4	32	4.25L	17
24.5	32	9.75L	39
30.5	32	13L	52
68x50.00	32	15.5L	62
73x44.00	32	16.25L	65
76x50.00	32	19.25L	77
78x45.00	32	19L	76
18.5	44	9.5L	38
45/65	45	27.5L	110
11.2	46	5.25L	21
12.40	46	5.75L	23
14.9	46	7.5L	30
18.4	46	9.25L	37
320/90R	46	6.25L	25
420/80R	46	8.0L	32
620/70R	46	12L	48
9.5	48	5L	20
18.00	49	10.5L	42
21.00	49	11.75L	47
24.00	49	14L	56
27.00	49	15.75L	63

APPLC04_Sealant_Printed in Australia



TYRE SEALANT

APPLICATION CHART

Tyre size		Quantity	Pump strokes
20.8	34	8.5L	34
23.1	34	9.5L	38
21.00	35	9.75L	39
24.00	35	11.75L	47
29.5	35	13.5L	54
33.25	35	16.5L	66
37.25	35	20L	80
8.3	36	3.25L	13
9.5	36	3.75L	15
11.2	36	4.25L	17
12.4	36	4.75L	19
13.6	36	5.25L	21
13.9	36	5.25L	21
8.30	38	3.25L	13
9.50	38	4L	16
11.2	38	4.5L	18
12.4	38	5L	20
13.6	38	5.75L	23
14.00	38	5.75L	23
14.9	38	6.25L	25
15.5	38	6.5L	26
16.00	38	6.75L	27
16.9	38	7.5L	30
18.4	38	8.75L	35
20.8	38	9.5L	38
480/70	38	9L	36
520/70	38	10L	40
600/65	38	11L	44
650/85R	38	14.5L	58
710/70	38	12.50L	50
800/70R	38	15.75L	63
37.5	39	21L	84
38	39	21.25L	85
40/65	39	23.25L	93
40.5/75	39	24.25L	97
41.25/70	39	23.75L	95
7.20	40	3.5L	14
9.50	40	4L	16
12.4	42	5L	20
16.9	42	7.25L	29
18.4	42	9L	36
20.8	42	10L	40
620/70	42	11L	44
24.00	43	12.75L	51
8.3	44	3.75L	15
9.5	44	4.25L	17

Tyre size		Quantity	Pump strokes
320/90R	50	7L	28
480/60R	50	10.25L	41
30.00	51	19L	76
33.00	51	21.75L	87
36.00	51	26.25L	105
37.5	51	23L	92
67	51	52L	208
49/75	51	35L	140
50/65	51	34.75L	139
39/90	53	27L	108
37.00	57	29L	116
40.00	57	32L	128
49.5/85	57	37.5L	150
50/90	57	37L	148
52/80	57	39.25L	157

January 2011

The product is not intended for use in passenger and light truck highway applications. Please contact your supplier for quantity recommendations:

- o If highway application for trucks of 8 t gross vehicle weight and above is required.
- o If unusual service conditions for a tyre size apply.
- o If you need dosage for a tyre size not listed on the chart.